

BEST PRICE AND QUALITY FOR A QUICK REPLACEMENT

We offer our customers the best value for money for a wide range of LED lamps and luminaires.

**LIGH
ΦN.**





WITH MAZDA LIGHTING GO YOU FORWARD, NOT ONLY IN COST.

Our MAZDA lighting offers you the optimum price-performance ratio with a long warranty period on all products and an average lifetime (L70) of 50,000 hours.

CONTENTS

- 4 DOWNLIGHT
- 5 FLOODLIGHT
- 7 PANEL
- 7 Highbay luminaire
- 8 WATERPROOF LUMINAIRE
- 10 LED BULB
- 11 LED CANDLE LAMP/ LED BALL LAMP
- 12 LED SPOT GU10/MR16
- 13 LED TUBE T8

DOWNLIGHT



3-year
warrant

FLOODLIGHT/
SHINEWORKER




3-year
warranty

For homes, shops and corridors	Flat downlighter / easy installation
Average service life L70: 35,000 hours	Available in 3000K and 4000K
	Available in diameter: 150mm and 200mm

PRODUCT	Power (W)	Luminous flux	Light efficacy (lm/W)	Colour temperature (K)	EAN code
DN020B LED12/830 13W 220-240V D150	13 W	1,150 lm	88 lm/W	3000 K	8710163544045
DN020B LED12/840 13W 220-240V D150	13 W	1,200 lm	92 lm/W	4000 K	8710163544069
DN020B LED20/830 20W 220-240V D200	20 W	1,900 lm	95 lm/W	3000 K	8710163544106
DN020B LED20/840 20W 220-240V D200	20 W	2,000 lm	100 lm/W	4000 K	8710163544120



IP65 IK02 Temperature -20 to 40 C




For open spaces, sports facilities, industrial areas; facades of buildings, car parks, construction sites
Supplied with mounting accessories: ceiling mounting bracket with screws and dowels
Average service life L70: 35,000 hours
Version available with motion sensor (MDU)

PRODUCT (lm)	Power (W)	Luminous flux	Light efficacy (lm/W)	Colour temperature (K)	EAN code
BVP008 10W 4000K	10 W	950 lm	95 lm/W	3000 K	8719514533226
BVP008 20W 4000K	20 W	1,900 lm	95 lm/W	4000 K	8719514533219
BVP008 20W 4000K MDU	20 W	1,900 lm	95 lm/W	3000 K	8719514534551
BVP008 50W 4000K	50 W	4,750 lm	95 lm/W	4000 K	8719514533196
BVP008 50W 4000K MDU	50 W	4,750 lm	95 lm/W	4000 K	8719514534537



IP65 IK06 Temperature -20 to 50 C



PANEL



3-year
warrant

For offices, healthcare and schools	Available in 60x60 cm and 120x30 cm sizes
Versions OC = Office Compliant (UGR<19)	Easy installation with supplied connector
Average lifetime L80: 50,000 hours	

PRODUCT (lm)	Power (W)	Luminous flux	Light efficacy (lm/W)	Colour temperature (K)	EAN code
RC009B 34S/840 PSU W30L120 NOC	28 W	3,400 lm	120 lm/W	3000 K	8720169517677
RC009B 34S/840 PSU W30L120 OC	28 W	3,400 lm	120 lm/W	4000 K	8720169517660
RC009B 34S/840 PSU W60L60 NOC	28 W	3,400 lm	120 lm/W	4000 K	8720169517646
RC009B 34S/840 PSU W60L60 OC	28 W	3,400 lm	120 lm/W	4000 K	8720169517639




HIGH-BAY
LUMINAIRE



3-year
warranty

For warehouses and production halls	With supplied IP65 connector
Average lifetime L80: 50,000 hours	Available in 3 lumen versions

PRODUCT	Power (W)	Luminous flux	Light efficacy (lm/W)	Colour temperature (K)	EAN code
BY009P 140S/840 PSU WB	100 W	14,000 lm	140 lm/W	4000 K	8719514530614
BY009P 210S/840 PSU WB	150 W	21,000 lm	140 lm/W	4000 K	8719514530621
BY009P 280S/840 PSU WB	200 W	28,000 lm	140 lm/W	4000 K	8719514530638




IP20 IK02



IP65 IK06 Temperature -40 bis 50 C

WATERPROOF LUMINAIRE



3-year
warrant

For car parks, warehouses and bicycle sheds

Average service life L70: 50,000 hours

Quick and easy installation

L1200 / L1500: 2 lumen packages in each luminaire


PRODUCT	Power (W)	Luminous flux (lm)	Light efficiency (lm/W)	Colour Temperature (K)	EAN code
WT009C 36S/840 PSU L1200	30 W	3,600 lm	120 lm/W	4000 K	8719514529908
WT009C 56S/840 PSU L1500	46 W	5,600 lm	120 lm/W	4000 K	8719514529922
WT009C 74S/840 PSU L1500	51 W	7,400 lm	137 lm/W	4000 K	8719514529946



IP65

IK08

Temperature
-20 to 40 C



ENERGY SAVINGS HAS A ABBREVIATION: LED.

In developing our range, we have used the latest LED technology n for excellent light quality, long life and high efficiency for immediate energy savings. With a wide selection of luminaires, we offer solutions for many indoor and outdoor applications. These include car parks, construction sites, corridors, sports facilities and industry.

LED BULB



3-year
warrant
y

Excellent replacement for your 40W, 60W, 75W and 100W incandescent bulbs

Up to 80% energy savings

Warm light 2700K

Not dimmable

PRODUCT (lm)	Power (W)	Luminous flux	Light efficacy (lm/W)	Colour temperature (K)	EAN code
LED 40W A60 E27 827 FR ND 1CT/6	4.9 W	470 lm	95 lm/W	2700 K	8710163540511
LED 60W A60 E27 827 FR ND 1CT/6	8 W	806 lm	100 lm/W	2700 K	8710163540573
LED 75W A60 E27 827 FR ND 1CT/6 G3	10 W	1,055 lm	105 lm/W	2700 K	8710163540931
LED 100W A60 E27 WW FR ND 1CT/6	13 W	1,521 lm	117lm/W	2700 K	8710163540450

LED CANDLE LAMP



3-year
warranty

Excellent replacement for your 25W and 40W candle lamps

Up to 80% energy savings

Not dimmable

Warm light 2700K

PRODUCT (lm)	Power (W)	Luminous flux	Light efficacy (lm/W)	Colour temperature (K)	EAN code
LED 25W E14 827 B35 FR ND 1CT/10	3 W	250 lm	83 lm/W	2700 K	8710163541372
LED 40W B35 E14 WW FR ND 1CT/10	14.9 W	470 lm	95 lm/W	2700 K	8710163541396

LED CUB LAMP



3-year
warrant
y

Excellent replacement for your 25W and 40W ball lamps

Up to 80% energy savings

Not dimmable

Warm light 2700K

PRODUCT	Power (W)	Luminous flux (lm)	Light efficacy (lm/W)	Colour temperature (K)	EAN code
LED 25W E14 827 P45 FR ND 1CT/10	2.8 W	250 lm	89 lm/W	2700 K	8710163542539
LED 25W E27 827 P45 FR ND 1CT/10	2.8 W	250 lm	89 lm/W	2700 K	8710163542553

LED 40W P45 E14 WW FR ND 1CT/10	4.9 W	470 lm	95 lm/W	2700 K	8710163543222
LED 40W P45 E27 WW FR ND 1CT/10	4.9 W	470 lm	95 lm/W	2700 K	8710163543000

LED SPOTLIGHT GU10/ MR16



3-year
warrant

Excellent replacement for your 50W halogen		
Up to 80% energy savings	Not dimmable	Warm light 2700K
Warm light 2700K and 3000K	Version GU10 and MR16	

PRODUCT (lm)	Power (W)	Luminous flux	Light efficacy (lm/W)	Colour temperature (K)	EAN code
LED 50W GU10 827 36D ND 1CT/10	4.7 W	380 lm	80 lm/W	2700 K	8710163541495
LED 50W GU10 830 60D ND 1CT/10	4.7 W	345 lm	73 lm/W	3000 K	3139188161276
LED 50W GU5.3 827 12V 36D ND 1CT/10	6.5 W	621 lm	95 lm/W	2700 K	8710163540719
LED 50W GU5.3 830 12V 60D ND 1CT/10	6.5 W	621 lm	95 lm/W	3000 K	8710163540672

LED TUBE T8



3-year
warranty

Replacement for 18W, 36W and 58W T8	Extra-high light output (UO) versions
-------------------------------------	---------------------------------------

PRODUCT	Power (W)	Luminous flux	Light efficacy (lm/W)	Colour temperature (K)	EAN code
LEDtube 600mm 8W 840	8 W	800 lm	100 lm/W	4000 K	8710163543284
LEDtube 600mm 8W 865	8 W	800 lm	100 lm/W	6500 K	8710163543307
LEDtube 1200mm 15.5W 840	15.5 W	1,800 lm	116lm/W	4000 K	8710163542430
LEDtube 1200mm 15.5W 865	15.5 W	1,800 lm	116lm/W	6500 K	8710163542454
LEDtube 1200mm UO 21.5W 830 T8	21.5 W	2,250 lm	104 lm/W	3000 K	8710163543888
LEDtube 1200mm UO 21.5W 840 T8	21.5 W	2,400 lm	111lm/W	4000 K	8710163543741
LEDtube 1200mm UO 21.5W 865 T8	21.5 W	2,400 lm	111lm/W	6500 K	8710163543765
LEDtube 1500mm 20W 840	20 W	2,200 lm	110lm/W	4000 K	8710163543321
LEDtube 1500mm 20W 865	20 W	2,200 lm	110lm/W	6500 K	8710163543345
LEDtube 1500mm UO 31.5W 830 T8	31.5 W	3,500 lm	105 lm/W	3000 K	8710163543901
LEDtube 1500mm UO 31.5W 840 T8	31.5 W	3,500 lm	111lm/W	4000 K	8710163543789
LEDtube 1500mm UO 31.5W 865 T8	31.5 W	3,500 lm	111lm/W	6500 K	8710163543802







LIGH
ΦN.

MAZDA | I.B.R.S. / C.C.R.I. Number 10461 | 5600 VB Eindhoven, The Netherlands | mazdalighting.nl

2024 Signify Holding. All rights reserved. The information provided herein may be subject to change without notice. Signify makes no warranty as to the accuracy or completeness of the information and shall not be liable for any action taken in reliance thereon. The information contained in this document is not intended as a commercial share, and does not form part of any offer or contract unless otherwise acquired by Signify. The Philips designations and the Philips shield emblem are registered trademarks of Signify Holding. All other trademarks used belong to Signify Holding or other rights holders